

will complement a variety of design styles while also providing a fresh and unique, modern statement. Constructed of cast aluminum and heavy stamped steel, the Molly carries a limited lifetime warranty.






MOLLY		
FINISH AND BLADE OPTIONS		
SKU#	MK-XX (Model+Finish)	
Standard Finishes	Gloss White WH Matte Black BK	
TECHNICAL SPECS		
Fan Diameter	56 inches / 142 cm	
Blade Material	ABS	
Overall Drop	12 inches / 30 cm + downrod length	
Fan Weight	17 lbs	
Voltage	110 (Please contact us for 220V)	
Motor Type	DC	
Downrods Lengths Field cuttable, non- threaded	inches: 5, 10, 20, 30, 48, 72 centimeters: 13, 25, 51, 76, 122, 183	
Downrod Diameter	1 inch	
Environment	Wet locations for all finishes All weather blade system. Neither coastal, saltwater nor chlorine compatible	
Ambience	Silent	
Safety Certification	ETL / CETL	
Warranty	Limited Lifetime	

NEW JAN 21, 2020	DOE MOTOR EFFICIENCY DATA	
RPM (Low / High)	49 / 116	
CFM (Low / High)	1556 / 3530	
Watts (High)	29.96	
CFM/Watt (High)	126	
Blade Pitch	45°	
STANDARD EQUIPMENT		
One downrod of 10 inches / 25 cm		
Vaulted ceiling canopy for up to 30°		
Black 6-speed RF remote control with reverse	White wireless Decora-style, 6-speed, wall control	
ACCESSORY 60°	cathedral ceiling canopy	

NOTE: Only compatible with included controllers.

Molly

TECHNICAL SPECIFICATIONS



CEILING PITCH TABLE	
0/12	0 degrees
1/12	4.76 degrees
2/12	9.46 degrees
3/12	14.04 degrees
4/12	18.43 degrees
5/12	22.62 degrees
6/12	26.57 degrees
7/12	30.26 degrees
8/12	33.69 degrees
9/12	36.87 degrees
10/12	39.81 degrees
11/12	42.51 degrees

CEILING HEIGHT / DOWNROD TABLE	
Ceiling Height	Downrod Lengths Field cuttable. Non-threaded
10 ft or less	5 inches / 13 cm Use safety cages if applicable
10 -12 feet	10 inches / 25 cm
13 feet	20 inches / 51 cm
14 feet	30 inches / 76 cm
15 feet	48 inches / 122 cm
16 feet +	72 inches / 183 cm

Matthews Fan Company

1881 Industrial Drive Libertyville, IL 60048 Tele: 847.680.9043 Fax: 847.680.8140 www.matthewsfanco.com © 2023 Matthews Fan Company. All rights reserved.

